

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	519	324/538.ccls.	US-PGPUB; USPAT	OR	ON	2008/03/06 08:29
S2	1	"20070139051"	US-PGPUB; USPAT	OR	ON	2008/03/06 08:43
S3	1918	324/509-511,537.ccls.	US-PGPUB; USPAT	OR	ON	2008/03/06 08:43
S4	754	324/509-511.ccls.	US-PGPUB; USPAT	OR	ON	2008/03/06 08:43
S5	1	"5294890".pn.	US-PGPUB; USPAT	OR	ON	2008/03/06 08:45
S6	11	("3883753" "3973184" "4103299" "4647920" "5079506").PN. OR ("5294890").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/06 09:01
S7	8	("3684924" "4808839" "5294890" "5418673" "5422568" "5508872" "6246557" "6560079").PN. OR ("7265955").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/06 09:05
S8	23	324/509-511.ccls. and sensor with output with (short\$3 ground \$3)	US-PGPUB; USPAT	OR	ON	2008/03/06 10:18
S9	3217	sensor near2 output with (short\$3 ground \$3)	US-PGPUB; USPAT	OR	ON	2008/03/06 10:28
S10	8549	sensor with output with (short\$3 ground \$3)	US-PGPUB; USPAT	OR	ON	2008/03/06 10:30
S11	2892	sensor with output with (short\$3 ground \$3) and transistor	US-PGPUB; USPAT	OR	ON	2008/03/06 10:31
S12	794	sensor with output with (short\$3 ground \$3) and transistor and (square adj wave pulse) near2 generat \$3	US-PGPUB; USPAT	OR	ON	2008/03/06 10:32

S13	669	sensor with output with (short\$3 ground \$3) and transistor and (square adj wave pulse) near2 generat \$3 and compar\$5	US-PGPUB; USPAT	OR	ON	2008/03/06 10:32
S14	70	"324"/\$.ccls. and S13	US-PGPUB; USPAT	OR	ON	2008/03/06 10:37
S15	21598	(transistor bjt fet nmos pmos mosfet) with parallel with resist\$4	US-PGPUB; USPAT	OR	ON	2008/03/06 10:46
S16	66	S13 and S15	US-PGPUB; USPAT	OR	ON	2008/03/06 10:46
S17	100248	sensor near2 (evaluat \$3 examin\$5 determin \$5 test\$3)	US-PGPUB; USPAT	OR	ON	2008/03/06 11:14
S18	147	S13 and S17	US-PGPUB; USPAT	OR	ON	2008/03/06 11:14
S19	1766	sensor near2 (evaluat \$3 examin\$5 determin \$5 test\$3) with (fault \$3 short\$3)	US-PGPUB; USPAT	OR	ON	2008/03/06 11:16
S20	21	S13 and S19	US-PGPUB; USPAT	OR	ON	2008/03/06 11:16
S21	1136	sensor with (power supply) with ground with output	US-PGPUB; USPAT	OR	ON	2008/03/06 11:22
S22	350	sensor with (power supply) with ground with output and output with (fault\$3 short\$3)	US-PGPUB; USPAT	OR	ON	2008/03/06 11:23
S23	19	sensor with (power supply) with ground with output and output with (fault\$3 short\$3) and (transistor bjt fet nmos pmos mosfet) with parallel with resist \$4	US-PGPUB; USPAT	OR	ON	2008/03/06 11:25
S24	3955	sensor near2 output with (short\$3 ground \$3 fault\$3)	US-PGPUB; USPAT	OR	ON	2008/03/06 11:28
S25	121	sensor near2 output with (short\$3 ground \$3 fault\$3) and (transistor bjt fet nmos pmos mosfet) with parallel with resist\$4	US-PGPUB; USPAT	OR	ON	2008/03/06 11:29

S26	44	sensor with output near2 (short\$3 ground \$3 fault\$3) and (transistor bjt fet nmos pmos mosfet) with parallel with resist\$4	US-PGPUB; USPAT	OR	ON	2008/03/06 11:40
S27	139	S25 S26	US-PGPUB; USPAT	OR	ON	2008/03/06 11:42
S28	28	sensor near2 output near2 (short\$3 ground \$3 fault\$3) and (transistor bjt fet nmos pmos mosfet) with parallel with resist\$4	US-PGPUB; USPAT	OR	ON	2008/03/06 13:36
S29	32	sensor with output with (short\$3 ground \$3 fault\$3) and (transistor bjt fet nmos pmos mosfet) same (square adj wave pulse) near2 generat \$3 same compar\$5 same resistor	US-PGPUB; USPAT	OR	ON	2008/03/06 13:39

3/ 7/ 08 11:26:41 AM

C:\ Documents and Settings\ TDole\ My Documents\ EAST\ Workspaces\ 10566690.wsp